

TABLE 1
2015 ANNUAL SUMMARY REPORT
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK

FSP&T Influent PCE Concentrations and Cumulative VOCs Recovered

Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)
11/26/02	110	6	9/18/03	51	77.5	5/18/04	46	126.1	1/13/05	27	153.4	9/8/05	8.8	170.8	6/14/06	22	185.0	2/22/07	12	200.1	10/19/07	3.3	206.3	6/25/08	3	211.0
12/19/02	58	9.6	9/23/03	52	78.6	5/27/04	43	127.4	1/20/05	27	153.7	9/15/05	20	171.5	6/21/06	20	185.8	2/28/07	10	200.4	11/7/07	6.7	206.5	7/1/08	1.5	211.1
1/2/03	64	11.6	10/1/03	66	80.5	6/2/04	37	128.6	1/26/05	17	154.1	10/6/05	12	172.2	6/28/06	0	185.8	3/7/07	7.8	200.7	11/15/07	5.8	206.6	7/8/08	4.8	211.1
1/8/03	58	13.5	10/8/03	54	81.1	6/8/04	30	131.0	2/2/05	21	155.5	10/12/05	12	172.4	7/7/06	28	186.0	3/14/07	9.6	200.8	11/19/07	3.7	206.6	7/18/08	5.2	211.3
1/9/03	63	13.9	10/17/03	48	82.2	6/14/04	23	131.7	2/8/05	23	156.2	11/16/05	22	173.1	7/13/06	20	186.4	3/22/07	8	201.2	11/28/07	6.7	206.9	7/24/08	3.8	211.4
1/15/03	57	16.0	10/22/03	45	83.4	6/25/04	38	133.6	2/16/05	22	157.2	11/21/05	10	173.4	7/20/06	5.4	186.9	3/28/07	7.2	201.6	12/5/07	3.8	207.1	7/30/08	3.1	211.4
1/23/03	53	18.4	10/30/03	54	85.3	6/30/04	55	134.2	2/24/05	23	158.2	11/28/05	14	173.8	7/31/06	12	187.0	4/3/07	9.8	201.6	12/12/07	5.1	207.4	8/5/08	2.1	211.5
2/1/03	71	22.0	11/7/03	69	87.9	7/7/04	24	134.7	3/2/05	28	159.2	12/8/05	29	174	8/8/06	13	187.6	4/10/07	5.9	202.0	12/20/07	3.6	207.5	8/12/08	2.5	211.5
2/6/03	74	23.9	11/11/03	74	89.4	7/14/04	40	136.0	3/10/05	31	160.1	12/12/05	30	174.2	8/16/06	18	187.9	4/18/07	7.9	202.2	12/27/07	3.8	207.7	8/19/08	2.4	211.7
2/20/03	83	26.7	11/18/03	37	89.9	7/21/04	43	136.7	3/17/05	32	161.1	12/21/05	21	175.4	8/24/06	13	188.0	4/26/07	8.4	202.4	1/3/08	5.7	207.7	8/26/08	1.5	211.8
3/6/03	80	29.7	11/25/03	63	91.6	7/28/04	47	137.0	3/24/05	22	161.8	12/27/05	17	175.8	8/28/06	9.5	188.7	5/1/07	0	202.4	1/9/08	5.6	207.9	9/4/08	4	211.8
3/12/03	80	32.1	12/10/03	54	93.1	8/4/04	41	138.2	3/30/05	29	162.4	1/4/06	20	176.9	9/5/06	0	188.7	5/10/07	5.8	202.8	1/16/08	4.1	208.1	9/9/08	2.2	211.9
3/21/03	59	34.9	12/17/03	76	94.0	8/12/04	84	140.3	4/7/05	14	162.7	1/12/06	10	177.4	9/12/06	13	189.2	5/15/07	5.9	203.1	1/24/08	5.6	208.4	9/16/08	2.8	212.1
3/28/03	45	36.5	12/23/03	59	95.8	8/17/04	37	141.2	4/13/05	32	163	1/19/06	18	177.7	9/19/06	9.4	190.5	5/23/07	5.3	203.3	1/30/08	6.7	208.6	9/22/08	3.8	212.1
4/3/03	55	38.2	12/30/03	79	98.0	8/23/04	44	142.1	4/19/05	14	163.4	1/25/06	11	178.2	9/27/06	9.5	190.7	5/30/07	6.1	203.5	2/5/08	5.7	208.8	9/29/08	2.7	212.2
4/23/03	59	44.4	1/9/04	69	99.1	9/2/04	33	143.0	4/27/05	27	163.7	2/1/06	23	178.8	10/4/06	11	191.9	6/7/07	6.3	203.7	2/13/08	3.9	208.9	10/8/08	5.8	212.4
5/3/03	69	47.4	1/14/04	61	100.8	9/8/04	34	143.2	5/2/05	20	164.4	2/8/06	16	179.6	10/10/06	6	192.7	6/13/07	6.4	203.8	2/20/08	4.6	209.0	10/16/08	3.4	212.6
5/6/03	59	48.4	1/23/04	65	102.5	9/14/04	53	144.1	5/10/05	32	165.1	2/14/06	16	180.2	10/18/06	12	193.1	6/20/07	5.6	204.0	2/27/08	3.3	209.2	10/23/08	4.8	212.8
5/13/03	110	52.1	1/29/04	35	103.4	9/22/04	28	144.6	5/16/05	14	165.8	2/22/06	16	180.3	10/26/06	7.5	193.8	6/25/07	4.5	204.1	3/4/08	3.4	209.3	10/30/08	5.5	212.9
5/30/03	71	55.0	2/5/04	54	106.4	10/1/04	35	145.4	5/26/05	14	166.1	2/28/06	17	180.6	11/1/06	9	194.9	7/5/07	6.4	204.1	3/11/08	5.3	209.4	11/6/08	2.4	213.0
6/5/03	29	56.0	2/11/04	61	108.7	10/7/04	27	145.9	6/2/05	7.7	166.1	3/7/06	13	181.3	11/8/06	8.8	195.1	7/13/07	6.6	204.2	3/21/08	3.6	209.7	11/11/08	3	213.0
6/11/03	50	56.9	2/19/04	30	109.3	10/13/04	27	146.4	6/10/05	9.2	166.1	3/14/06	14	181.7	11/15/06	7.8	195.9	7/18/07	4.2	204.4	3/27/08	3.2	209.8	11/19/08	7.9	213.2
6/19/03	50	58.6	2/25/04	50	111.0	10/21/04	27	147.1	6/15/05	19	166.2	3/22/06	16	182.2	11/29/06	0	195.9	7/25/07	4.7	204.6	4/1/08	2.7	209.9	11/25/08	2.8	213.3
6/23/03	54	59.4	3/3/04	45	112.8	10/27/04	28	147.2	6/24/05	12	166.7	3/29/06	12	182.3	12/7/06	14	196.2	7/31/07	3.6	204.7	4/8/08	2.8	210.0	12/2/08	2.6	213.4
6/30/03	56	60.7	3/8/04	46	113.7	11/3/04	22	147.7	6/30/05	20	167.1	4/6/06	13	182.5	12/13/06	12	197.0	8/8/07	3.6	204.8	4/17/08	3.5	210.2	12/9/08	2.8	213.5
7/11/03	56	62.4	3/18/04	23	115.0	11/9/04	35	148.4	7/7/05	27	167.8	4/12/06	18	182.7	12/20/06	6.1	197.6	8/16/07	4.3	205.1	4/22/08	3	210.2	12/17/08	22	213.8
7/14/03	31	62.9	3/22/04	32	115.2	11/16/04	27	148.7	7/14/05	12	168.2	4/19/06	17	182.8	12/27/06	2.9	197.7	8/23/07	4.1	205.2	4/29/08	2.5	210.2	12/23/08	0	213.8
7/23/03	55	65.2	3/30/04	28	116.7	11/23/04	26	149.1	7/19/05	14	168.8	4/25/06	17	183.3	1/3/07	0	197.9	8/29/07	3.6	205.4	5/6/08	3.1	210.4	12/30/08	5	214.0
7/30/03	75	68.0	4/9/04	4.7	116.9	12/2/04	21	149.8	7/29/05	10	169.2	5/3/06	14	183.6	1/10/07	5.2	198.4	9/6/07	1.8	205.6	5/15/08	2.4	210.5	1/6/09	4.0	214.3
8/7/03	49	69.1	4/14/04	38	117.9	12/7/04	24	150.2	8/2/05	10	169.5	5/11/06	12	183.8	1/18/07	6.7	198.4	9/12/07	5.3	205.7	5/20/08	4.1	210.6	1/13/09	4.5	214.3
8/20/03	58	70.8	4/21/04	55	119.8	12/14/04	48	150.9	8/9/05	13	169.6	5/17/06	23	183.9	1/23/07	4.7	198.9	9/18/07	6.8	205.7	5/27/08	3.1	210.7	1/20/09	5.7	214.5
8/26/03	53	72.7	4/28/04	51	121.6	12/21/04	23	151.5	8/17/05	17	170	5/24/06	28	184.0	2/1/07	9.3	199.5	9/26/07	5.5	205.8	6/5/08	2.5	210.8	1/27/09	7.8	214.7
9/2/03	51	73.9	5/3/04	47	123.0	12/27/04	34	151.6	8/24/05	8.3	170.3	5/30/06	18	184.3	2/8/07	14	199.7	10/3/07	7.6	206.0	6/10/08	2.7	210.8	2/3/09	5.6	214.8
9/10/03	52	75.8	5/10/04	47	124.7	1/4/05	26	152.2	8/31/05	12	170.6	6/7/06	16	184.7	2/15/07	10	200.1	10/8/07	5.2	206.1	6/17/08	4.8	210.9	3/9/09	6.1	215.0

Note: The influent sample is the combined water from recovery wells operating at time of sample collection.

TABLE 1 (CONTINUED)
2016 ANNUAL SUMMARY REPORT
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK

FSP&T Influent PCE Concentrations and Cumulative VOCs Recovered

Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)	Date	Influent PCE Conc. (ug/l)	Cumulative Total VOCs Recovered (lbs)
3/17/09	7.7	215.2	11/24/09	2.9	218.2	8/3/10	0.0	220.8	4/19/11	0.0	221.4	12/27/11	1.2	222.7	8/21/12	1.1	224.8	5/14/13	0.6	225.5	3/25/14	6	226.8	8/10/2015	0.68	227.8
3/31/09	9.5	215.2	12/3/09	4.6	218.2	8/10/10	0.0	220.8	4/26/11	1.2	221.5	1/3/12	1.6	222.8	8/27/12	1.0	224.8	5/23/13	0.9	225.5	4/8/14	20	226.9	8/24/2015	0.94	227.8
4/6/09	4.0	215.3	12/8/09	1.6	218.2	8/31/10	0.0	220.8	5/3/11	0.0	221.5	1/10/12	1.4	222.8	9/4/12	0.9	224.8	5/29/13	0.6	225.5	4/21/14	28	227.1	9/11/2015	0.83	227.8
4/14/09	1.9	215.4	12/15/09	7.3	218.5	9/7/10	0.0	220.8	5/11/11	1.1	221.5	1/17/12	1.3	222.8	9/11/12	0.7	224.9	6/4/13	1.0	225.5	5/8/14	6.6	227.2	9/21/2015	0.81	227.8
4/21/09	4.2	215.5	12/22/09	4.6	218.6	9/16/10	0.0	220.8	5/17/11	0.7	221.5	1/24/12	0.8	222.9	9/18/12	1.0	224.9	6/12/13	4.5	225.6	5/20/14	3.2	227.2	10/5/2015	0.62	227.8
4/28/09	2.5	215.6	1/7/10	3.1	218.6	9/22/10	0.0	220.8	5/23/11	1.6	221.6	2/2/12	1.5	222.9	9/27/12	0.9	224.9	6/17/13	7.0	225.7	6/3/14	7	227.3	10/20/2015	0.28	227.8
5/5/09	3.3	215.7	1/13/10	3.0	218.7	9/27/10	0.0	220.8	6/6/11	1.1	221.6	2/10/12	0.8	223.0	10/1/12	0.9	225.0	6/25/13	3.3	225.8	7/1/14	4.7	227.3	11/5/2015	0.36	227.8
5/12/09	6.1	215.9	1/19/10	3.5	218.8	10/4/10	2.5	220.8	6/14/11	0.6	221.6	2/14/12	0.8	223.0	10/8/12	0.9	225.0	7/1/13	13.0	225.9	7/24/14	3	227.3	11/17/2015	0.48	227.8
5/19/09	10.8	216.0	1/27/10	3.8	219.0	10/13/10	0.0	220.8	6/21/11	0.8	221.6	2/21/12	2.3	223.2	10/16/12	0.8	225.0	7/9/13	7.4	226.0	8/6/14	2	227.3	12/3/2015	0.45	227.8
6/5/09	7.2	216.1	2/3/10	0.0	219.0	10/20/10	0.4	220.8	6/27/11	0.5	221.6	3/2/12	1.1	223.2	10/22/12	0.7	225.1	7/16/13	0.7	226.0	8/21/14	1.8	227.3	12/15/2015	0.35	227.8
6/10/09	2.6	216.2	2/9/10	2.2	219.0	10/28/10	2.3	220.9	7/6/11	0.6	221.6	3/6/12	0.8	223.2	10/31/12	0.7	225.1	7/25/13	1.0	226.0	9/17/14	0.6	227.3	12/29/2015	2.4	227.9
6/16/09	2.7	216.3	2/17/10	1.9	219.1	11/4/10	1.4	220.9	7/12/11	0.5	221.6	3/13/12	2.4	223.4	11/5/12	0.7	225.1	7/29/13	1.9	226.0	9/30/14	0.96	227.3	1/6/2016	3.2	228.1
6/23/09	3.0	216.3	2/23/10	5.2	219.2	11/11/10	0.0	220.9	7/19/11	0.8	221.7	3/19/12	1.7	223.4	11/12/12	0.7	225.1	8/6/13	2.1	226.1	10/14/14	1.1	227.4	1/20/2016	3.4	228.1
6/30/09	2.6	216.4	3/2/10	5.1	219.4	11/16/10	2.5	221.0	7/25/11	0.6	221.7	3/27/12	1.3	223.5	11/19/12	0.8	225.1	8/13/13	2.0	226.1	10/28/14	0.38	227.4	2/1/2016	4.2	228.1
7/7/09	5.2	216.4	3/9/10	2.2	219.5	11/22/10	2.0	221.0	8/1/11	0.5	221.7	4/3/12	1.7	223.6	11/27/12	1.3	225.2	9/3/13	1.4	226.1	11/13/14	0.37	227.4	2/17/2016	2.2	228.1
7/14/09	5.4	216.5	3/17/10	2.3	219.6	12/1/10	1.7	221.0	8/18/11	0.0	221.7	4/10/12	1.3	223.7	12/3/12	1.0	225.2	9/12/13	1.1	226.1	11/24/14	0.9	227.4	3/1/2016	6.5	228.2
7/21/09	3.2	216.6	3/23/10	6.0	219.8	12/7/10	0.0	221.0	8/23/11	0.0	221.7	4/19/12	0.6	223.8	12/12/12	1.0	225.2	9/26/13	3.2	226.1	12/9/14	1.4	227.4	3/16/2016	9.5	228.2
7/28/09	6.1	216.8	3/30/10	2.1	219.8	12/14/10	0.4	221.0	8/30/11	0.0	221.7	4/23/12	0.5	223.8	12/18/12	0.9	225.2	10/1/13	2.2	226.2	12/22/14	0.67	227.4	3/29/2016	7.8	228.2
8/4/09	1.8	216.8	4/8/10	0.5	219.8	12/21/10	0.0	221.1	9/7/11	0.0	221.7	5/2/12	0.8	223.9	12/28/12	0.9	225.2	10/8/13	2.7	226.2	1/6/2015	0.37	227.4	4/5/2016	7.9	228.3
8/12/09	3.6	216.9	4/13/10	0.8	219.9	12/29/10	0.5	221.1	9/16/11	1.9	221.7	5/11/12	0.7	223.9	1/2/13	1.2	225.2	10/17/13	1.5	226.3	1/22/2015	1.1	227.4	4/19/2016	30	228.3
8/19/09	3.2	217.0	4/20/10	3.3	219.9	1/4/11	1.4	221.1	9/22/11	0.0	221.8	5/17/12	0.7	223.9	1/7/13	0.8	225.3	10/24/13	2.0	226.3	2/5/2015	7.2	227.5	5/2/2016	2.2	228.3
8/25/09	5.0	217.1	4/27/10	0.9	219.9	1/20/11	0.4	221.1	9/28/11	1.0	221.8	5/23/12	1.2	224.0	1/14/13	1.0	225.3	10/28/13	0.0	226.3	2/17/2015	6.3	227.5	5/17/2016	4.3	228.3
9/1/09	2.9	217.2	5/4/10	3.7	220.0	1/25/11	0.3	221.1	10/6/11	0.0	221.8	5/30/12	1.2	224.0	2/14/13	1.5	225.3	11/4/13	1.1	226.3	3/3/2015	3.9	227.5	6/7/2016	2.6	228.3
9/8/09	2.6	217.3	5/11/10	5.2	220.1	2/1/11	0.3	221.1	10/11/11	0.0	221.8	6/7/12	3.2	224.1	2/20/13	1.1	225.3	11/11/13	0.0	226.3	3/17/2015	6.5	227.5	6/23/2016	1.5	228.3
9/16/09	3.3	217.3	5/17/10	2.0	220.1	2/8/11	0.6	221.1	10/18/11	0.8	221.8	6/14/12	2.5	224.1	2/25/13	0.9	225.3	11/18/13	0.9	226.4	4/1/2015	6.2	227.6	7/7/2016	1.3	228.3
9/22/09	2.7	217.4	5/25/10	0.0	220.1	2/17/11	2.1	221.2	10/25/11	1.1	221.9	6/20/12	4.7	224.2	3/13/13	1.0	225.4	11/26/13	0.9	226.4	4/17/2015	5.3	227.6	7/19/2016	1.3	228.4
9/29/09	3.6	217.4	6/2/10	0.0	220.1	2/23/11	2.5	221.2	11/1/11	1.7	222.0	6/26/12	5.8	224.2	3/20/13	0.9	225.4	12/2/13	1.0	226.4	5/1/2015	6.6	227.7	8/2/2016	1.0	228.4
10/6/09	3.1	217.5	6/14/10	2.8	220.1	3/2/11	0.9	221.3	11/8/11	0.7	222.0	7/2/12	2.9	224.3	3/28/13	0.7	225.4	12/9/13	1.4	226.4	5/13/2015	3.5	227.7	8/16/2016	1.3	228.4
10/13/09	3.1	217.6	6/22/10	1.4	220.3	3/10/11	1.6	221.3	11/15/11	1.4	222.1	7/10/12	3.2	224.3	4/4/13	0.7	225.4	12/16/13	0.9	226.4	5/27/2015	2	227.7	9/1/2016	0.7	228.4
10/20/09	3.0	217.7	6/29/10	2.3	220.4	3/15/11	1.6	221.3	11/24/11	1.3	222.2	7/16/12	1.4	224.4	4/9/13	0.8	225.4	12/23/13	1.1	226.4	6/3/2015	4	227.7	9/16/2016	0.0	228.4
10/27/09	5.1	217.8	7/7/10	2.4	220.5	3/22/11	2.2	221.3	11/28/11	1.8	222.3	7/25/12	1.4	224.4	4/16/13	0.9	225.4	1/14/14	9.5	226.6	6/17/2015	1.6	227.7	10/17/2016	0.4	228.4
11/3/09	3.7	218.0	7/13/10	2.5	220.7	3/29/11	0.0	221.3	12/6/11	1.5	222.4	7/31/12	0.7	224.5	4/22/13	0.7	225.4	1/28/14	3.4	226.7	7/1/2015	1.7	227.7	11/1/2016	0.4	228.4
11/10/09	2.8	218.0	7/20/10	0.0	220.8	4/5/11	2.3	221.4	12/13/11	2.6	222.5	8/8/12	0.9	224.8	4/29/13	0.8	225.5	2/27/14	13	226.7	7/15/2015	1.9	227.8	12/1/2016	1.2	228.4
11/17/09	4.8	218.1	7/29/10	3.4	220.8	4/12/11	1.3	221.4	12/20/11	0.8	222.6	8/15/12	0.7	224.8	5/8/13	0.8	225.5	3/18/14	6.2	226.8	7/30/2015	1.3	227.8	1/3/2017	0.9	228.4

TABLE 2

**2016 ANNUAL SUMMARY REPORT
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK**

Effluent Water Quality Results for the Full Scale Pump and Treat System (FSP&T)

Date Sampled ^{2/}	pH ^{1/}	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	cis-1,2-DCE (ug/l)	trans-1,2-DCE (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Ethylbenzene (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Naphthalene (ug/l)	Chloroform (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	5.0 to 8.5	---	5	5	5	5	5	5	5	5	5	5	5	---	10	7	---	---
6-Jan-16	6.5	131	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	2.00	0.242
20-Jan-16	6.5	135	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.03	0.203
1-Feb-16	6.6	119	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	3.55	0.158
17-Feb-16	7.0	31	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	2.52	0.165
1-Mar-16	6.5	159	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.17	0.179
16-Mar-16	6.6	84	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	5.19	0.046
29-Mar-16	6.5	128	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.97	0.092
5-Apr-16	6.5	134	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.21	0.070
19-Apr-16	6.5	86	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.82	0.190
2-May-16	6.5	149	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	11.0	0.092
17-May-16	6.6	167	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.89	0.037
7-Jun-16	6.5	150	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	2.24	0.095
23-Jun-16	6.5	158	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	2.72	0.034
7-Jul-16 ^{3/}	6.6	NA	1.3	ND<0.5	0.35 J	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	2.35	ND<0.02
19-Jul-16	6.5	155	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.45	0.147
2-Aug-16	6.6	128	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.63	0.263
16-Aug-16	6.5	148	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	2.64	0.207
1-Sep-16	6.5	157	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.65	0.044
16-Sep-16	6.5	146	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.92	0.336
17-Oct-16 ^{4/}	6.5	141	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.27	0.455
1-Nov-16	6.5	224	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	3.50	0.100
1-Dec-16	6.5	191	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	2.17	0.042

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

----: Not established

J: Analyte detected below quantitation limits, value shown is a laboratory estimate.

B: Analyte was found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

ND: Not detected

NM: Not Measured

TDS: Total dissolved solids

PCE: Tetrachloroethylene

1,1,1-TCA: 1,1,1-Trichloroethane

TCE: Trichloroethene

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

cis-1,2-DCE: cis-1,2-Dichloroethene

trans-1,2-DCE: trans-1,2-Dichloroethene

Notes:

- Based on the SPDES criteria from an NYSDEC letter dated on May 6, 2016, the new allowable pH range for the Rowe Site is between 6.5 and 8.5.
- "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.
- LBG suspects the PCE and TCE detections from the water sample collected from the effluent sample port (NP2-10) on July 7, 2016, were most likely caused by: a) reversing the sample label on the influent and effluent laboratory bottles; or b) a mis-labeling of the results by the laboratory, because the "ND" (non-detect below the laboratory reporting limit) results for PCE and TCE are typically observed in the effluent water sample and low concentrations of these compounds are normally observed in the influent water sample. The reverse was true for the July 7, 2016 sampling event.
- Starting in October 2016, FSP&T system samples will be collected monthly instead of once every two weeks.

TABLE 3

**2016 ANNUAL SUMMARY REPORT
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK**

Summary of Vapor-Phase Carbon Unit Operating Data

Date	Operating Time ^{1/} (hours)	Average Air Flow Rate (scfm)	Post-Carbon VOC Vapor Conc. (mg/m³)	VOC Emissions (lb/hr)	VOC Emissions ^{1/} (lb)
1/20/2016	672	2,972	0.009	0.00011	0.071
2/17/2016	545	2,972	0.033	0.00037	0.199
3/29/2016	486	1,920	0.223	0.00161	0.775
4/19/2016	436	2,760	1.640	0.01696	7.393
5/17/2016	343	2,792	0.100	0.00104	0.358
6/23/2016	692	2,962	0.034	0.00038	0.260
7/19/2016	618	2,926	0.022	0.00024	0.151
8/16/2016	649	2,780	0.108	0.00112	0.729
10/17/2016 ^{2/}	476	2,926	0.150	0.00164	0.783
Avg.	546	2,779	0.258	0.00261	1.191
Total	4,917	--	--	--	10.72

^{1/} For the month during which air sample was collected.

TABLE 4

2015 ANNUAL SUMMARY REPORT
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK

Carbon Unit System Air Quality Results

Precarbon			Parameters (mg/m3)														TOTAL
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	trans-DCE	Toluene	m&p-Xylenes	o-Xylene	CF	MC	EB	Freon 113	VOCs
AQ102015:1030NP4-1	10/20/2015	10:30	0.0010	0.0041	0.0014	ND	ND	0.0008	ND	ND	ND	ND	0.0018	0.0022	ND	ND	0.02
AQ111715:1100NP4-1	11/17/2015	11:00	ND	ND	ND	ND	ND	ND	ND	0.0006	ND	ND	ND	0.0016	ND	ND	0.02
AQ121515:1030NP4-1	12/15/2015	10:30	0.0021	0.0010	ND	ND	ND	ND	ND	0.0012	ND	ND	0.0009	0.0120	ND	ND	0.29
AQ012016:1300NP4-1	1/20/2016	13:00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0130	ND	ND	0.03
AQ021716:1100NP4-1	2/17/2016	11:00	0.0310	0.0081	0.0026	ND	ND	0.0130	ND	0.0015	0.0044	0.0012	0.0011	0.0015	ND	ND	0.11
AQ031616:1310NP4-1	3/16/2016	13:10	0.0860	0.0330	ND	ND	ND	0.0079	ND	ND	0.0025	ND	ND	0.0020	ND	0.0037	0.18
AQ041916:1100NP4-1	4/19/2016	11:00	0.3200	0.0180	0.0025	ND	ND	ND	ND	0.0024	0.0029	0.0011	ND	0.0680	0.0007	ND	0.47
AQ051716:1230NP4-1	5/17/2016	12:30	0.0010	ND	ND	ND	ND	ND	ND	0.0011	0.0011	ND	0.0031	0.0010	ND	ND	0.03
AQ062316:1240NP4-1	6/23/2016	12:40	0.0012	0.0007	0.0007	0.0005	0.0005	0.0005	0.0005	0.0017	0.0240	0.0010	0.0008	0.0015	0.0009	0.0015	0.07
AQ071916:1200NP4-1	7/19/2016 ^{1/}	12:00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02
AQ081616:1200NP4-1	8/16/2016 ^{1/}	12:00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01
AQ101716:1300NP4-1	10/17/2016 ^{2/}	13:00	0.0140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01

Midcarbon			Parameters (mg/m3)														TOTAL
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	trans-DCE	Toluene	m&p-Xylenes	o-Xylene	CF	MC	EB	Freon 113	VOCs
AQ012016:1305NP4-2	1/20/2016	13:05	ND	ND	0.0012	ND	ND	0.0015	ND	ND	ND	ND	ND	0.0160	ND	ND	0.04
AQ021416:1105NP4-2	2/17/2016	11:05	0.0240	ND	0.0021	ND	ND	0.0033	ND	0.0024	0.0750	0.0210	0.0010	0.0031	0.0011	ND	0.60
AQ031616:1305NP4-2	3/16/2016	13:05	0.0058	ND	0.0053	ND	ND	0.0048	ND	ND	0.0063	ND	0.0044	0.0350	ND	0.0067	0.18
AQ041916:1105NP4-2	4/19/2016	11:05	0.0130	ND	0.0012	ND	ND	0.0025	ND	0.0022	0.0040	0.0016	0.0005	0.0016	0.0010	ND	0.06
AQ051716:1235NP4-2	5/17/2016	12:35	0.0069	ND	0.0020	ND	ND	0.0029	ND	0.0064	ND	ND	0.0073	ND	ND	0.0009	0.06
AQ062316:1245NP4-2	6/23/2016	12:45	0.0014	0.0009	0.0013	ND	ND	0.0023	ND	0.0013	0.0015	0.0005	0.0059	0.0013	ND	ND	0.05
AQ071916:1205NP4-2	7/19/2016 ^{1/}	12:05	0.0047	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04
AQ081616:1205NP4-2	8/16/2016 ^{1/}	12:05	0.0260	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04

Postcarbon			Parameters (mg/m3)														TOTAL
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	trans-DCE	Toluene	m&p-Xylenes	o-Xylene	CF	MC	EB	Freon 113	VOCs
AQ102015:1040NP4-3	10/20/2015	10:40	0.0019	ND	0.0042	ND	ND	0.0017	ND	ND	ND	ND	ND	0.0072	ND	ND	0.03
AQ111715:1110NP4-3	11/17/2015	11:10	0.0047	ND	0.0057	ND	ND	0.0024	ND	ND	ND	ND	0.0008	0.0013	ND	ND	0.18
AQ121515:1040NP4-3	12/15/2015	10:40	0.0030	ND	0.0120	ND	ND	0.0049	ND	ND	ND	ND	0.0016	0.0020	ND	ND	0.05
AQ012016:1310NP4-3	1/20/2016	13:10	ND	ND	0.0031	ND	ND	0.0012	ND	0.0007	ND	ND	ND	ND	ND	ND	0.01
AQ0217016:1110NP4-3	2/17/2016	11:10	ND	ND	0.0043	ND	ND	ND	ND	ND	ND	ND	ND	0.0017	ND	ND	0.03
AQ032916:1230NP4-3	3/29/2016	12:30	ND	ND	0.0034	ND	ND	0.0035	ND	0.0070	0.0034	0.0008	0.0011	ND	0.0013	ND	0.22
AQ041916:1110NP4-3	4/19/2016	11:10	1.6	0.0009	0.0033	ND	ND	0.0033	ND	0.0019	0.0039	0.0015	0.0010	0.0012	0.0008	ND	1.64
AQ051716:1240NP4-3	5/17/2016	12:40	0.0710	ND	0.0050	ND	ND	0.0037	ND	0.0005	ND	ND	0.0011	0.0008	ND	0.0008	0.10
AQ062316:1250NP4-3	6/23/2016	12:50	ND	ND	0.0023	ND	ND	0.0021	ND	0.0014	0.0020	0.0007	0.0005	0.0016	0.0005	ND	0.03
AQ071916:1210NP4-3	7/19/2016 ^{1/}	12:10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02
AQ081616:1210NP4-3	8/16/2016 ^{1/}	12:10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0200	ND	ND	0.11
AQ101716:1310NP4-3	10/17/2016 ^{2/}	13:10	0.150	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15

PCE: Tetrachloroethene TCE: Trichloroethene TCA: 1,1,1-Trichloroethane DCE: 1,1-Dichloroethene
DCA: 1,1-Dichloroethane cis-DCE: cis-1,2-Dichloroethene trans-DCE: trans-1,2-Dichloroethylene CF: Chloroform
MC: Methylene Chloride EB: Ethylbenzene

Note: NA - Not Applicable. Method blank contamination. The associated method blank contains the target analyte at a reportable level.
NS - Not Sampled
ND - Not Detected

B - Method blank contamination, the associated method blank contains the target analyte at a reportable level.

The air quality results summarized above are for the compounds listed in the FSP&T groundwater discharge permit. Low concentrations of additional compounds are accounted for in the Total VOCs column, however, are not listed.

^{1/} The July 19 and August 18, 2016 air samples were collected in tedlar bags instead of the normal suma canisters because the lab mistakenly did not procure the suma canisters in time for our scheduled O&M event. The "ND" results for this sample event are most likely because of the sample collection container (i.e tedlar bags).


^{2/} Starting with September 2016 only influent and effluent air samples will be collected, samples will be collected on a quarterly basis during January, April, July and October.

GRAPHS

GRAPH 1

2016 ANNUAL SUMMARY REPORT
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK

Cumulative VOC Recovery by Groundwater System vs. Time



Note: PCE concentrations are based on the groundwater sample collected from the FSP&T system influent sample port NP2-6.

GRAPH 2

2016 ANNUAL SUMMARY REPORT
 FORMER ROWE INDUSTRIES SUPERFUND SITE
 1668 SAG HARBOR TURNPIKE
 SAG HARBOR, NEW YORK

FSP&T Total VOC Effluent Vapor Concentrations and Emissions for 2016

