

TABLE 2

**GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Effluent Water-Quality Results**

Date Sampled <sup>2/</sup>	pH <sup>1/</sup>	TDS <sup>4/</sup> (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	cis-1,2-DCE (ug/l)	trans-1,2-DCE (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Ethylbenzene (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Naphthalene (ug/l)	Chloroform (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
<b>SPDES Limits</b>	<b>6.5 to 8.5</b>	<b>---</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>---</b>	<b>10</b>	<b>7</b>	<b>---</b>	<b>---</b>
3-Oct-19	6.5	165	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.612	ND<0.278
4-Nov-19	6.0	102	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.536	ND<0.278
5-Dec-19	6.8	129	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
7-Jan-20	6.8	175	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
4-Feb-20	7.0	122	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
2-Mar-20	7.0	137	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
2-Apr-20	7.0	161	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
7-May-20	7.0	299	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
2-Jun-20	6.8	174	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
7-Jul-20	7.0	125	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
7-Aug-20	6.8	178	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
1-Sep-20	6.8	145	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits, value shown is a laboratory estimate.

B: Analyte was found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

ND: Not detected      NA: Not Analyzed

C = CCV-E: The value reported is estimated. The value is estimated due to its behavior during continuing calibration verification.


Q = QL-02: This LCS analyte is outside Laboratory Recovery limits due to the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.

**Notes:**


- Based on the SPDES criteria from an NYSDEC letter dated on May 6, 2016, the allowable pH range for the Rowe Site is between 6.5 and 8.5. The effluent pH was 6.8 on September 15, 2020. Historic pH measurements from recovery wells indicate that natural background pH concentrations are less than 6.5.
- "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.
- Starting in October 2016, FSP&T system samples are collected monthly instead of once every two weeks. The pH of the effluent water is measured two times per month in accordance with the SPDES requirements.

**GRAPH 1  
GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Effluent Flow Data  
(September 1, 2020 to September 30, 2020)**



**APPENDIX I**  
**SEPTEMBER 2020 LABORATORY ANALYTICAL REPORT**  
**FOR FSP&T SYSTEM AND RW-2**



# Technical Report

prepared for:

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
**Attention: Tunde Komuves-Sandor**

Report Date: 09/08/2020  
**Client Project ID: 31401451.000 Task 01.00 Rowe Industries**  
York Project (SDG) No.: 20I0053

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE  
[www.YORKLAB.com](http://www.YORKLAB.com)

STRATFORD, CT 06615  
(203) 325-1371

132-02 89th AVENUE  
FAX (203) 357-0166

RICHMOND HILL, NY 11418  
[ClientServices@yorklab.com](mailto:ClientServices@yorklab.com)

Report Date: 09/08/2020  
Client Project ID: 31401451.000 Task 01.00 Rowe Industries  
York Project (SDG) No.: 20I0053

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

---

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on September 01, 2020 and listed below. The project was identified as your project: **31401451.000 Task 01.00 Rowe Industries.**

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
20I0053-01	WQ090120:0900 NP1-1-2	Water	09/01/2020	09/01/2020
20I0053-02	WQ090120:0915 NP2-10	Water	09/01/2020	09/01/2020

## **General Notes for York Project (SDG) No.: 20I0053**

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

**Approved By:**



Benjamin Gulizia  
Laboratory Director

**Date:** 09/08/2020





### Sample Information

**Client Sample ID:** WQ090120:0900 NP1-1-2

**York Sample ID:** 20I0053-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
20I0053	31401451.000 Task 01.00 Rowe Industries	Water	September 1, 2020 9:00 am	09/01/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	09/02/2020 06:45	09/04/2020 02:41	TMP
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP



Sample Information

Client Sample ID: WQ090120:0900 NP1-1-2

York Sample ID: 20I0053-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20I0053

31401451.000 Task 01.00 Rowe Industries

Water

September 1, 2020 9:00 am

09/01/2020

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Table with 13 columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Rows include various chemical compounds like 2-Chlorotoluene, Hexanone, Benzene, etc.





### Sample Information

**Client Sample ID:** WQ090120:0900 NP1-1-2

**York Sample ID:** 20I0053-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20I0053

31401451.000 Task 01.00 Rowe Industries

Water

September 1, 2020 9:00 am

09/01/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
127-18-4	Tetrachloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
79-01-6	<b>Trichloroethylene</b>	<b>0.310</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 02:41	TMP
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	09/02/2020 06:45	09/04/2020 02:41	TMP
<b>Surrogate Recoveries</b>		<b>Result</b>	<b>Acceptance Range</b>								
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	106 %	69-130								
2037-26-5	Surrogate: SURRE: Toluene-d8	99.9 %	81-117								
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	94.5 %	79-122								



### Sample Information

**Client Sample ID:** WQ090120:0915 NP2-10

**York Sample ID:** 20I0053-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20I0053

31401451.000 Task 01.00 Rowe Industries

Water

September 1, 2020 9:15 am

09/01/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	09/02/2020 06:45	09/04/2020 03:06	TMP
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP



### Sample Information

**Client Sample ID:** WQ090120:0915 NP2-10

**York Sample ID:** 20I0053-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20I0053

31401451.000 Task 01.00 Rowe Industries

Water

September 1, 2020 9:15 am

09/01/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
74-87-3	<b>Chloromethane</b>	<b>0.340</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP



### Sample Information

**Client Sample ID:** WQ090120:0915 NP2-10

**York Sample ID:** 20I0053-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20I0053

31401451.000 Task 01.00 Rowe Industries

Water

September 1, 2020 9:15 am

09/01/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
127-18-4	Tetrachloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
79-01-6	Trichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP,PADEP	09/02/2020 06:45	09/04/2020 03:06	TMP
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY 10854,NELAC-NY 12058,NJDEP	09/02/2020 06:45	09/04/2020 03:06	TMP
	<b>Surrogate Recoveries</b>	<b>Result</b>			<b>Acceptance Range</b>						
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	107 %			69-130						
2037-26-5	Surrogate: SURR: Toluene-d8	97.6 %			81-117						
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	97.6 %			79-122						

**Total Dissolved Solids**

**Log-in Notes:**

**Sample Notes:**



Sample Information

Client Sample ID: WQ090120:0915 NP2-10

York Sample ID: 20I0053-02

York Project (SDG) No. 20I0053

Client Project ID 31401451.000 Task 01.00 Rowe Industries

Matrix Water

Collection Date/Time September 1, 2020 9:15 am

Date Received 09/01/2020

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	<b>Total Dissolved Solids</b>	<b>145</b>		mg/L	10.0	1	SM 2540C	09/02/2020 17:58	09/04/2020 00:54	AA
							Certifications:	NELAC-NY10854,CTDOH,NJDEP,PADEP		



## Analytical Batch Summary

**Batch ID:** BI00151                      **Preparation Method:** % Solids Prep                      **Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
20I0053-02	WQ090120:0915 NP2-10	09/02/20
BI00151-BLK1	Blank	09/02/20

**Batch ID:** BI00364                      **Preparation Method:** EPA 5030B                      **Prepared By:** TMP

YORK Sample ID	Client Sample ID	Preparation Date
20I0053-01	WQ090120:0900 NP1-1-2	09/02/20
20I0053-02	WQ090120:0915 NP2-10	09/02/20
BI00364-BLK1	Blank	09/03/20
BI00364-BS1	LCS	09/03/20
BI00364-BSD1	LCS Dup	09/03/20



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BI00364 - EPA 5030B**

**Blank (BI00364-BLK1)**

Prepared: 09/03/2020 Analyzed: 09/04/2020

1,1,1,2-Tetrachloroethane	ND	0.500	ug/L								
1,1,1-Trichloroethane	ND	0.500	"								
1,1,2,2-Tetrachloroethane	ND	0.500	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.500	"								
1,1,2-Trichloroethane	ND	0.500	"								
1,1-Dichloroethane	ND	0.500	"								
1,1-Dichloroethylene	ND	0.500	"								
1,1-Dichloropropylene	ND	0.500	"								
1,2,3-Trichlorobenzene	ND	0.500	"								
1,2,3-Trichloropropane	ND	0.500	"								
1,2,4-Trichlorobenzene	ND	0.500	"								
1,2,4-Trimethylbenzene	ND	0.500	"								
1,2-Dibromo-3-chloropropane	ND	0.500	"								
1,2-Dibromoethane	ND	0.500	"								
1,2-Dichlorobenzene	ND	0.500	"								
1,2-Dichloroethane	ND	0.500	"								
1,2-Dichloropropane	ND	0.500	"								
1,3,5-Trimethylbenzene	ND	0.500	"								
1,3-Dichlorobenzene	ND	0.500	"								
1,3-Dichloropropane	ND	0.500	"								
1,4-Dichlorobenzene	ND	0.500	"								
2,2-Dichloropropane	ND	0.500	"								
2-Chlorotoluene	ND	0.500	"								
2-Hexanone	ND	0.500	"								
4-Chlorotoluene	ND	0.500	"								
Acetone	ND	2.00	"								
Benzene	ND	0.500	"								
Bromobenzene	ND	0.500	"								
Bromochloromethane	ND	0.500	"								
Bromodichloromethane	ND	0.500	"								
Bromoform	ND	0.500	"								
Bromomethane	ND	0.500	"								
Carbon tetrachloride	ND	0.500	"								
Chlorobenzene	ND	0.500	"								
Chloroethane	ND	0.500	"								
Chloroform	ND	0.500	"								
Chloromethane	ND	0.500	"								
cis-1,2-Dichloroethylene	ND	0.500	"								
cis-1,3-Dichloropropylene	ND	0.500	"								
Dibromochloromethane	ND	0.500	"								
Dibromomethane	ND	0.500	"								
Dichlorodifluoromethane	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Hexachlorobutadiene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Methylene chloride	ND	2.00	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BI00364 - EPA 5030B

Blank (BI00364-BLK1)

Prepared: 09/03/2020 Analyzed: 09/04/2020

n-Propylbenzene	ND	0.500	ug/L								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
Styrene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Tetrachloroethylene	ND	0.500	"								
Toluene	ND	0.500	"								
trans-1,2-Dichloroethylene	ND	0.500	"								
trans-1,3-Dichloropropylene	ND	0.500	"								
Trichloroethylene	ND	0.500	"								
Trichlorofluoromethane	ND	0.500	"								
Vinyl Chloride	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
<hr/>											
Surrogate: SURR: 1,2-Dichloroethane-d4	10.2		"	10.0		102	69-130				
Surrogate: SURR: Toluene-d8	9.84		"	10.0		98.4	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.64		"	10.0		96.4	79-122				

LCS (BI00364-BS1)

Prepared & Analyzed: 09/03/2020

1,1,1,2-Tetrachloroethane	9.70		ug/L	10.0		97.0	82-126				
1,1,1-Trichloroethane	9.86		"	10.0		98.6	78-136				
1,1,2,2-Tetrachloroethane	9.08		"	10.0		90.8	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.2		"	10.0		102	54-165				
1,1,2-Trichloroethane	9.31		"	10.0		93.1	82-123				
1,1-Dichloroethane	9.07		"	10.0		90.7	82-129				
1,1-Dichloroethylene	9.62		"	10.0		96.2	68-138				
1,1-Dichloropropylene	9.55		"	10.0		95.5	83-133				
1,2,3-Trichlorobenzene	9.24		"	10.0		92.4	76-136				
1,2,3-Trichloropropane	10.2		"	10.0		102	77-128				
1,2,4-Trichlorobenzene	9.44		"	10.0		94.4	76-137				
1,2,4-Trimethylbenzene	9.89		"	10.0		98.9	82-132				
1,2-Dibromo-3-chloropropane	8.65		"	10.0		86.5	45-147				
1,2-Dibromoethane	9.31		"	10.0		93.1	83-124				
1,2-Dichlorobenzene	9.75		"	10.0		97.5	79-123				
1,2-Dichloroethane	9.30		"	10.0		93.0	73-132				
1,2-Dichloropropane	9.08		"	10.0		90.8	78-126				
1,3,5-Trimethylbenzene	9.97		"	10.0		99.7	80-131				
1,3-Dichlorobenzene	9.71		"	10.0		97.1	86-122				
1,3-Dichloropropane	9.27		"	10.0		92.7	81-125				
1,4-Dichlorobenzene	9.74		"	10.0		97.4	85-124				
2,2-Dichloropropane	11.2		"	10.0		112	56-150				
2-Chlorotoluene	9.48		"	10.0		94.8	79-130				
2-Hexanone	9.06		"	10.0		90.6	51-146				
4-Chlorotoluene	9.60		"	10.0		96.0	79-128				
Acetone	9.67		"	10.0		96.7	14-150				
Benzene	9.40		"	10.0		94.0	85-126				
Bromobenzene	9.24		"	10.0		92.4	78-129				
Bromochloromethane	8.71		"	10.0		87.1	77-128				
Bromodichloromethane	9.36		"	10.0		93.6	79-128				





**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	Flag
		Limit			Result					RPD	

**Batch BI00364 - EPA 5030B**

**LCS (BI00364-BS1)**

Prepared & Analyzed: 09/03/2020

Bromoform	8.64		ug/L	10.0		86.4	78-133				
Bromomethane	4.57		"	10.0		45.7	43-168				
Carbon tetrachloride	9.94		"	10.0		99.4	77-141				
Chlorobenzene	9.64		"	10.0		96.4	88-120				
Chloroethane	11.4		"	10.0		114	65-136				
Chloroform	9.44		"	10.0		94.4	82-128				
Chloromethane	8.24		"	10.0		82.4	43-155				
cis-1,2-Dichloroethylene	9.63		"	10.0		96.3	83-129				
cis-1,3-Dichloropropylene	9.29		"	10.0		92.9	80-131				
Dibromochloromethane	9.53		"	10.0		95.3	80-130				
Dibromomethane	9.26		"	10.0		92.6	72-134				
Dichlorodifluoromethane	10.0		"	10.0		100	44-144				
Ethyl Benzene	10.1		"	10.0		101	80-131				
Hexachlorobutadiene	9.84		"	10.0		98.4	67-146				
Isopropylbenzene	9.62		"	10.0		96.2	76-140				
Methyl tert-butyl ether (MTBE)	9.28		"	10.0		92.8	76-135				
Methylene chloride	9.10		"	10.0		91.0	55-137				
Naphthalene	9.05		"	10.0		90.5	70-147				
n-Butylbenzene	10.3		"	10.0		103	79-132				
n-Propylbenzene	9.82		"	10.0		98.2	78-133				
o-Xylene	9.80		"	10.0		98.0	78-130				
p- & m- Xylenes	20.2		"	20.0		101	77-133				
p-Isopropyltoluene	10.0		"	10.0		100	81-136				
sec-Butylbenzene	10.4		"	10.0		104	79-137				
Styrene	10.1		"	10.0		101	67-132				
tert-Butylbenzene	8.66		"	10.0		86.6	77-138				
Tetrachloroethylene	9.97		"	10.0		99.7	82-131				
Toluene	9.88		"	10.0		98.8	80-127				
trans-1,2-Dichloroethylene	9.41		"	10.0		94.1	80-132				
trans-1,3-Dichloropropylene	8.97		"	10.0		89.7	78-131				
Trichloroethylene	9.79		"	10.0		97.9	82-128				
Trichlorofluoromethane	10.6		"	10.0		106	67-139				
Vinyl Chloride	9.43		"	10.0		94.3	58-145				
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>10.2</i>		<i>"</i>	<i>10.0</i>		<i>102</i>	<i>69-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.97</i>		<i>"</i>	<i>10.0</i>		<i>99.7</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.79</i>		<i>"</i>	<i>10.0</i>		<i>97.9</i>	<i>79-122</i>				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	Flag
		Limit			Result					RPD	
<b>Batch BI00364 - EPA 5030B</b>											
<b>LCS Dup (BI00364-bsd1)</b>											
Prepared: 09/03/2020 Analyzed: 09/04/2020											
1,1,1,2-Tetrachloroethane	9.39		ug/L	10.0		93.9	82-126			3.25	30
1,1,1-Trichloroethane	9.13		"	10.0		91.3	78-136			7.69	30
1,1,2,2-Tetrachloroethane	9.08		"	10.0		90.8	76-129			0.00	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.29		"	10.0		92.9	54-165			9.63	30
1,1,2-Trichloroethane	8.87		"	10.0		88.7	82-123			4.84	30
1,1-Dichloroethane	8.47		"	10.0		84.7	82-129			6.84	30
1,1-Dichloroethylene	8.89		"	10.0		88.9	68-138			7.89	30
1,1-Dichloropropylene	9.07		"	10.0		90.7	83-133			5.16	30
1,2,3-Trichlorobenzene	9.05		"	10.0		90.5	76-136			2.08	30
1,2,3-Trichloropropane	9.50		"	10.0		95.0	77-128			7.11	30
1,2,4-Trichlorobenzene	9.45		"	10.0		94.5	76-137			0.106	30
1,2,4-Trimethylbenzene	9.60		"	10.0		96.0	82-132			2.98	30
1,2-Dibromo-3-chloropropane	8.75		"	10.0		87.5	45-147			1.15	30
1,2-Dibromoethane	9.07		"	10.0		90.7	83-124			2.61	30
1,2-Dichlorobenzene	9.59		"	10.0		95.9	79-123			1.65	30
1,2-Dichloroethane	8.83		"	10.0		88.3	73-132			5.18	30
1,2-Dichloropropane	8.53		"	10.0		85.3	78-126			6.25	30
1,3,5-Trimethylbenzene	9.60		"	10.0		96.0	80-131			3.78	30
1,3-Dichlorobenzene	9.25		"	10.0		92.5	86-122			4.85	30
1,3-Dichloropropane	8.93		"	10.0		89.3	81-125			3.74	30
1,4-Dichlorobenzene	9.37		"	10.0		93.7	85-124			3.87	30
2,2-Dichloropropane	10.1		"	10.0		101	56-150			9.88	30
2-Chlorotoluene	8.95		"	10.0		89.5	79-130			5.75	30
2-Hexanone	9.26		"	10.0		92.6	51-146			2.18	30
4-Chlorotoluene	9.20		"	10.0		92.0	79-128			4.26	30
Acetone	9.07		"	10.0		90.7	14-150			6.40	30
Benzene	8.88		"	10.0		88.8	85-126			5.69	30
Bromobenzene	9.04		"	10.0		90.4	78-129			2.19	30
Bromochloromethane	8.34		"	10.0		83.4	77-128			4.34	30
Bromodichloromethane	8.94		"	10.0		89.4	79-128			4.59	30
Bromoform	8.87		"	10.0		88.7	78-133			2.63	30
Bromomethane	4.43		"	10.0		44.3	43-168			3.11	30
Carbon tetrachloride	9.23		"	10.0		92.3	77-141			7.41	30
Chlorobenzene	9.33		"	10.0		93.3	88-120			3.27	30
Chloroethane	10.3		"	10.0		103	65-136			9.78	30
Chloroform	8.93		"	10.0		89.3	82-128			5.55	30
Chloromethane	7.69		"	10.0		76.9	43-155			6.91	30
cis-1,2-Dichloroethylene	8.97		"	10.0		89.7	83-129			7.10	30
cis-1,3-Dichloropropylene	8.90		"	10.0		89.0	80-131			4.29	30
Dibromochloromethane	9.14		"	10.0		91.4	80-130			4.18	30
Dibromomethane	8.73		"	10.0		87.3	72-134			5.89	30
Dichlorodifluoromethane	9.17		"	10.0		91.7	44-144			9.06	30
Ethyl Benzene	9.53		"	10.0		95.3	80-131			6.10	30
Hexachlorobutadiene	9.44		"	10.0		94.4	67-146			4.15	30
Isopropylbenzene	9.08		"	10.0		90.8	76-140			5.78	30
Methyl tert-butyl ether (MTBE)	8.96		"	10.0		89.6	76-135			3.51	30
Methylene chloride	8.41		"	10.0		84.1	55-137			7.88	30
Naphthalene	8.68		"	10.0		86.8	70-147			4.17	30
n-Butylbenzene	9.93		"	10.0		99.3	79-132			4.05	30
n-Propylbenzene	9.29		"	10.0		92.9	78-133			5.55	30



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike Level	Source*	%REC	%REC Limits	Flag	RPD	RPD	Flag
		Limit			Result					Limit	

**Batch BI00364 - EPA 5030B**

**LCS Dup (BI00364-BSD1)**

Prepared: 09/03/2020 Analyzed: 09/04/2020

o-Xylene	9.52		ug/L	10.0		95.2	78-130		2.90	30	
p- & m- Xylenes	19.1		"	20.0		95.6	77-133		5.60	30	
p-Isopropyltoluene	9.70		"	10.0		97.0	81-136		3.54	30	
sec-Butylbenzene	10.1		"	10.0		101	79-137		3.80	30	
Styrene	9.78		"	10.0		97.8	67-132		3.42	30	
tert-Butylbenzene	8.13		"	10.0		81.3	77-138		6.31	30	
Tetrachloroethylene	9.37		"	10.0		93.7	82-131		6.20	30	
Toluene	9.15		"	10.0		91.5	80-127		7.67	30	
trans-1,2-Dichloroethylene	8.77		"	10.0		87.7	80-132		7.04	30	
trans-1,3-Dichloropropylene	8.85		"	10.0		88.5	78-131		1.35	30	
Trichloroethylene	9.16		"	10.0		91.6	82-128		6.65	30	
Trichlorofluoromethane	9.76		"	10.0		97.6	67-139		8.63	30	
Vinyl Chloride	8.62		"	10.0		86.2	58-145		8.98	30	
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>10.2</i>		<i>"</i>	<i>10.0</i>		<i>102</i>	<i>69-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.90</i>		<i>"</i>	<i>10.0</i>		<i>99.0</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.78</i>		<i>"</i>	<i>10.0</i>		<i>97.8</i>	<i>79-122</i>				



Miscellaneous Physical Parameters - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BI00151 - % Solids Prep**

**Blank (BI00151-BLK1)**

Prepared: 09/02/2020 Analyzed: 09/04/2020

Total Dissolved Solids	ND	10.0	mg/L								
------------------------	----	------	------	--	--	--	--	--	--	--	--



### Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
20I0053-01	WQ090120:0900 NP1-1-2	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
20I0053-02	WQ090120:0915 NP2-10	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



## Sample and Data Qualifiers Relating to This Work Order

CCV-E The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

### Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.



York Analytical Laboratories, Inc.  
 120 Research Drive Stratford, CT 06615  
 132-02 89th Ave Queens, NY 11418  
 clientservices@yorklab.com  
 www.yorklab.com

# Field Chain-of-Custody Record

YORK Project No.

20I0053

**NOTE:** YORK's Standard Terms & Conditions are listed on the back side of this document. This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

Page 1 of 1

YOUR Information		Report To:		Invoice To:		YOUR Project Number		Turn-Around Time	
Company:	WSP USA	Company:	Same	Company:	WSP USA Accounting	31401451.000 Task 01.00		RUSH - Next Day	
Address:	4 Research Drive, Suite 204 Shelton, CT 06484	Address:		Address:		YOUR Project Name Rowe Industries		RUSH - Two Day	
Phone.:	203-929-8555	Phone.:		Phone.:				RUSH - Three Day	
Contact:	Tunde Komuves-Sandor	Contact:		Contact:				RUSH - Four Day	
E-mail:	tunde.sandor@wsp.com	E-mail:		E-mail:		YOUR PO#: 31401451.000 Task 01.00		Standard (5-7 Day) X	

*Please print clearly and legibly. All information must be complete. Samples will not be logged in and the turn-around-time clock will not begin until any questions by YORK are resolved.*

Scott Philbrick  
 Samples Collected by: (print your name above and sign below)  
 Scott Philbrick

Matrix Codes	Samples From	Report / EDD Type (circle selections)	YORK Reg. Comp.
S - soil / solid	New York X	Summary Report CT RCP	Compared to the following Regulation(s): (please fill in)
GW - groundwater	New Jersey	QA Report CT RCP DQA/DUE	
DW - drinking water	Connecticut	NY ASP A Package NJDEP Reduced Deliverables	
WW - wastewater	Pennsylvania	NY ASP B Package NJDEP SRP HazSite	
O - Oil ; Other	Other	NJDKQP Other:	

Sample Identification	Sample Matrix	Date/Time Sampled	Analysis Requested	Container Description
WQ 090120:0900 NP1-1-2	GW	9-1-20 9:00	VOCs 8260 full list + freon 113	3 HCI VOA
WQ 090120:0915 NP2-10	GW	9-1-20 9:15	VOCs 8260 full list + freon 113; TDS	3 HCI VOA; 1 plastic

<b>Comments:</b>	<b>Preservation:</b> (check all that apply)	<b>Special Instruction</b>
	HCl ___ MeOH ___ HNO3 ___ H2SO4 ___ NaOH ___ ZnAc ___ Ascorbic Acid ___ Other: _____	Field Filtered ___ Lab to Filter ___

Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time
Scott Philbrick WSP	9-1-20 15:00				
Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time
Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Received in LAB by	Date/Time
				KBlocker	9/1/20 1500
					Temp. Received at Lab
					2.3 Degrees C